



The State of Kuwait

Patient Name : ATHARI KHALED ABDULLAH	Lab ID : AO
ALHARBI	Patient File : 299580
Civil ID : 287122400521	Reg Date : 25-09-2021
Passport No :	Sampling Date : 24-09-2021 11:00 AM
Age/sex : 33/F	Result Date : 25-09-2021 08:30 AM
Nationality : KUWAIT	Serial Number : LBAO-09-25-034481
Ref. Drs : LAB	

MOLECULAR BIOLOGY REPORT

TEST	RESULT
SARS COV-2(COVID 19)	Negative

Sample type : VTM with Nasopharyngeal Swab
SARS COV-2(COVID19) : **Negative**

Negative

This test is a qualitative PCR Test. Not detected indicates that SARS-COV-2 RNA is either not present in the specimen or is present at a concentration below the assay lower limit of detection. this result may be influenced by the stage of infection and the quantity of specimen collected for testing.

Methodology: RT PCR(NAAT)

Remarks:

REAL TIME PCR COVID-19 detection kit is a real time PCR based in Vitro diagnostic Medical device that is designed to detect the infection of Novel Coronavirus SARS COV-2(COVID19) by examination of nucleic acid extracted from nasopharyngeal smears.

Note: Kindly Refer to appropriate Public Health Authorities (MOH)